

4

3

2

1

THIS DOCUMENT CONTAINS INFORMATION PROPRIETARY TO DELTA MICROWAVE. ANY REPRODUCTION OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS EXPRESSLY PROHIBITED.

ZONE	REV	DISCRIPTION	DATE	APPROVED
	A	RELEASED	05/14/97	R.E.S.
	B	ECO#105895	03/11/02	R.E.S.
	C	ECO#105958	05/03/02	

0.10 1.80 0.10 2.80 3.00 0.10 2.00

MARK HERE

RF IN RF OUT

0.27 1.50 0.55

2 HOLE SMA FEMALE CONNECTOR  
2 PLACES

Ø0.125 THRU  
✓ Ø0.150 X 82.0°  
NO PAINT IN MOUNTING HOLES AND  
APPROX 0.188Ø ON SURFACE AROUND  
MOUNTING HOLE 4 PLACES BOTH SIDES

2. MARKING: USING BLACK WARNOW INK TO INCLUDE:  
DELTA MICROWAVE, MODEL NO., SERIAL NO.,  
CODE IDENT. NO. 51719 AND DATE CODE

1: FINISH: HAZE GRAY EPOXY POLYAMIDE TOPCOAT  
PER MIL-DTL-24441C, SUP.1  
MIL-DTL-2441/21A, TYP 3, FORMULA 151  
USING GREEN EPOXY POLYAMIDE PRIMER  
MIL-DTL-2441/20A, TYP 3, FORMULA 150

NOTES:

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:			CONTRACT NO. L5482		DELTA MICROWAVE DELTA MICROWAVE 1301 VANGUARD DRIVE OXNARD, CA 93033	
FRACTIONS	DECIMALS	ANGLES	APPROVALS	DATE	TITLE	
+	.xx ± .03	+	DRAWN	03/11/02	OUTLINE	
-	.xxx ± .010	-	CHECKED	5/3/02	SIZE CODE IDENT NO. DWG NO	
MATERIAL			APPROVED	5/3/02	B	51719 L5482
FINISH					SCALE 1/1 SHEET 1 OF 1	
USED ON MODEL#			DO NOT SCALE DRAWING			

4

3

2

1